

OCT 29 2007

CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the patent application.

1) **(ORIGINAL)** A process for the enhanced recovery of recombinant insulin comprising, treating the expression broth/culture medium containing the expressing cells either with water miscible organic solvents and/or with salts and/or with amino acids and/or at different pH conditions, wherein the concentration of the insulin in solution is higher, than had the expression broth or culture medium not been treated with the said conditions.

2) **(ORIGINAL)** A process for the enhanced recovery of recombinant insulin comprising, treating the expression broth/culture medium containing the expressing cells either with urea, wherein the concentration of the insulin in solution is higher, than had the expression broth or culture medium not been treated with urea.

3) **(ORIGINAL)** A process according to claim 1 where the treatment is carried out from about pH 2.0 to about pH 5.0.

4) **(ORIGINAL)** A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with Arginine, at a pH from about 2 to about 4.

5) **(ORIGINAL)** A process according to claim 4 wherein the concentration of arginine is from about 1 to about 100 mM.

6) **(ORIGINAL)** A process according to claim 4 wherein the arginine concentration is from about 50 mM to about 100 mM.

7) **(ORIGINAL)** A process according to claim 4 wherein the arginine concentration is from about 70 mM to about 100 mM.

Page 2 of 21, 5:29 PM, 10/29/2007, Response to Restriction Requirement, Applicants: Maharaj Sahib
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARLE, JENNIFER L.; Art Unit: 1654
Confirmation Number: 2848, Our Reference Number: WH-1

- 8) **(ORIGINAL)** A process according to claim 4 wherein the arginine concentration is about 100 mM.
- 9) **(ORIGINAL)** A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with Aspartic acid, at a pH from about 2 to about 4.
- 10) **(ORIGINAL)** A process according to claim 9 wherein the concentration of aspartic acid is from about 1 mM to about 100 mM.
- 11) **(ORIGINAL)** A process according to claim 9 wherein the aspartic acid concentration is from about 50 mM to about 100 mM.
- 12) **(ORIGINAL)** A process according to claim 9 wherein the aspartic acid concentration is from about 70 mM to about 100 mM.
- 13) **(ORIGINAL)** A process according to claim 9 wherein the aspartic acid concentration is about 100 mM.
- 14) **(ORIGINAL)** A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with calcium chloride, at a pH from about 2 to about 4.
- 15) **(ORIGINAL)** A process according to claim 14 wherein the concentration of calcium chloride is from about 1 mM to about 100 mM.
- 16) **(ORIGINAL)** A process according to claim 14 wherein the calcium chloride concentration is from about 50 mM to about 100 mM.
- 17) **(ORIGINAL)** A process according to claim 14 wherein the calcium chloride concentration is from about 70 mM to about 100 mM.

Page 3 of 21. 5:29 PM, 10/29/2007. Response to Restriction Requirement. Applicants: **Maharaj Sahib**
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARLE, JENNIFER I.; Art Unit: 1654
Confirmation Number: 2848. Our Reference Number: WH-1

18) (ORIGINAL) A process according to claim 14 wherein the calcium chloride concentration is about 100mM.

19) (ORIGINAL) A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with isopropanol, at a pH from about 2 to about 5.

20) (ORIGINAL) A process according to claim 19 where the concentration of isopropanol is from about 1 percent to about 50 percent.

21) (ORIGINAL) A process according to claim 19 where the isopropanol concentration is from about 10 percent to about 50 percent.

22) (ORIGINAL) A process according to claim 19 where the isopropanol concentration is from about 30 percent to about 50 percent.

23) (ORIGINAL) A process according to claim 19 where the isopropanol concentration is from about 40 percent to about 50 percent.

24) (ORIGINAL) A process according to claim 19 where the isopropanol concentration is about 20 percent.

25) (ORIGINAL) A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with methanol, at a pH from about 2 to about 5.

26) (ORIGINAL) A process according to claim 25 where the concentration of methanol is from about 1 percent to about 50 percent.

Page 4 of 21, 5:29 PM, 10/29/2007. Response to Restriction Requirement. Applicants: Maharaj Sahib
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARLE, JENNIFER L.; Art Unit: 1654
Confirmation Number: 2848. Our Reference Number: WH-1

27) (ORIGINAL) A process according to claim 25 where the methanol concentration is from about 10 percent to about 50 percent.

28) (ORIGINAL) A process according to claim 25 where the methanol concentration is from about 30 percent to about 50 percent.

29) (ORIGINAL) A process according to claim 25 where the methanol concentration is from about 40 percent to about 50 percent.

30) (ORIGINAL) A process according to claim 25 where the methanol concentration is about 20 percent.

31) (ORIGINAL) A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with ethanol, at a pH from about 2 to about 5.

32) (ORIGINAL) A process according to claim 31 where the concentration of ethanol is from about 1 percent to about 50 percent.

33) (ORIGINAL) A process according to claim 31 where the ethanol concentration is from about 10 percent to about 50 percent.

34) (ORIGINAL) A process according to claim 31 where the ethanol concentration is from about 30 percent to about 50 percent.

35) (ORIGINAL) A process according to claim 31 where the ethanol concentration is from about 40 percent to about 50 percent.

36) (ORIGINAL) A process according to claim 31 where the ethanol concentration is about 20 percent.

Page 5 of 21. 5:29 PM, 10/29/2007. Response to Restriction Requirement. Applicants: Maharaj Sahib
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from
recombinant sources. Examiner: HARI P. JENNIFER L.; Art Unit: 1654
Confirmation Number: 2848. Our Reference Number: WH-1

37) (ORIGINAL) A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with tertiary-butanol, at a pH from about 2 to about 5.

38) (ORIGINAL) A process according to claim 37 where the concentration of tertiary-butanol is from about 1 percent to about 50 percent.

39) (ORIGINAL) A process according to claim 37 where the tertiary-butanol concentration is from about 10 percent to about 50 percent.

40) (ORIGINAL) A process according to claim 37 where the tertiary-butanol concentration is from about 30 percent to about 50 percent.

41) (ORIGINAL) A process according to claim 37 where the tertiary-butanol concentration is from about 40 percent to about 50 percent.

42) (ORIGINAL) A process according to claim 37 where the tertiary-butanol concentration is about 20 percent.

43) (ORIGINAL) A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with acetonitrile, at a pH from about 2 to about 5.

44) (ORIGINAL) A process according to claim 43 where the concentration of acetonitrile is from about 1 percent to about 50 percent.

45) (ORIGINAL) A process according to claim 43 where the acetonitrile concentration is from about 10 percent to about 50 percent.

Page 6 of 21. 5:29 PM. 10/29/2007. Response to Restriction Requirement. Applicants: Maharaj Sahib
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARLE, JENNIFER I.; Art Unit: 1654
Confirmation Number: 2848. Our Reference Number: WH-1

46) **(ORIGINAL)** A process according to claim 43 where the acetonitrile concentration is from about 30 percent to about 50 percent.

47) **(ORIGINAL)** A process according to claim 43 where the acetonitrile concentration is from about 40 percent to about 50 percent.

48) **(ORIGINAL)** A process according to claim 43 where the acetonitrile concentration is about 20 percent.

49) **(ORIGINAL)** A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with dimethylformamide.

50) **(ORIGINAL)** A process according to claim 49 where the concentration of dimethylformamide is from about 1 percent to about 50 percent.

51) **(ORIGINAL)** A process according to claim 49 where the dimethylformamide concentration is from about 10 percent to about 50 percent.

52) **(ORIGINAL)** A process according to claim 49 where the dimethylformamide concentration is from about 30 percent to about 50 percent.

53) **(ORIGINAL)** A process according to claim 49 where the dimethylformamide concentration is from about 40 percent to about 50 percent.

54) **(ORIGINAL)** A process according to claim 49 where the dimethylformamide concentration is about 20 percent.

55) **(ORIGINAL)** A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with dimethylsulfoxide, at a pH from about 2 to about

Page 7 of 21. 5:29 PM. 10/29/2007. Response to Restriction Requirement. Applicants: Maharaj Sahib
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARLE, JENNIFER L.; Art Unit:1654
Confirmation Number: 2848. Our Reference Number: WH-1

5.

56) (ORIGINAL) A process according to claim 55 where the concentration of dimethylsulfoxide is from about 1 percent to about 50 percent.

57) (ORIGINAL) A process according to claim 55 where the dimethylsulfoxide concentration is from about 10 percent to about 50 percent.

58) (ORIGINAL) A process according to claim 55 where the dimethylsulfoxide concentration is from about 30 percent to about 50 percent.

59) (ORIGINAL) A process according to claim 55 where the dimethylsulfoxide concentration is from about 40 percent to about 50 percent.

60) (ORIGINAL) A process according to claim 55 where the dimethylsulfoxide concentration is about 20 percent.

61) (ORIGINAL) A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with ethylene glycol, at a pH from about 2 to about 5.

62) (ORIGINAL) A process according to claim 61 where the concentration of ethylene glycol is from about 1 percent to about 50 percent.

63) (ORIGINAL) A process according to claim 61 where the ethylene glycol concentration is from about 10 percent to about 50 percent.

64) (ORIGINAL) A process according to claim 61 where the ethylene glycol concentration is from about 30 percent to about 50 percent.

Page 8 of 21. 5:29 PM. 10/29/2007. Response to Restriction Requirement. Applicants: Maharaj Sahib
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARLE, JENNIFER I.; Art Unit: 1654
Confirmation Number: 2848. Our Reference Number: WH-I

65) **(ORIGINAL)** A process according to claim 61 where the ethylene glycol concentration is from about 40 percent to about 50 percent.

66) **(ORIGINAL)** A process according to claim 61 where the ethylene glycol concentration is about 20 percent.

67) **(ORIGINAL)** A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with propylene glycol, at a pH from about 2 to about 5.

68) **(ORIGINAL)** A process according to claim 67 where the concentration of ethylene glycol is from about 1 percent to about 50 percent.

69) **(ORIGINAL)** A process according to claim 67 where the propylene glycol concentration is from about 10 percent to about 50 percent.

70) **(ORIGINAL)** A process according to claim 67 where the propylene glycol concentration is from about 30 percent to about 50 percent.

71) **(ORIGINAL)** A process according to claim 67 where the propylene glycol concentration is from about 40 percent to about 50 percent.

72) **(ORIGINAL)** A process according to claim 67 where the propylene glycol concentration is about 20 percent.

73) **(ORIGINAL)** A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with acetic acid, at a pH from about 2 to about 5.

74) **(ORIGINAL)** A process according to claim 73 where the concentration of acetic acid is from

Page 9 of 21. 5:29 PM. 10/29/2007. Response to Restriction Requirement. Applicants: **Maharaj Sahib**
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARRIS, JENNIFER L.; Art Unit: 1654
Confirmation Number: 2848. Our Reference Number: WH-1

about 1 percent to about 50 percent.

75) (ORIGINAL) A process according to claim 73 where the acetic acid concentration is from about 10 percent to about 50 percent.

76) (ORIGINAL) A process according to claim 73 where the acetic acid concentration is from about 30 percent to about 50 percent.

77) (ORIGINAL) A process according to claim 73 where the acetic acid concentration is from about 40 percent to about 50 percent.

78) (ORIGINAL) A process according to claim 73 where the acetic acid concentration is about 20 percent.

79) (ORIGINAL) A process as in claim 1 comprising, treatment of the expression broth/culture medium containing the expressing cells with dioxan, at a pH of about 2 to about 5.

80) (ORIGINAL) A process according to claim 79 where the concentration of dioxan is from about 1 percent to about 20 percent.

81) (ORIGINAL) A process according to claim 79 where the dioxan concentration is from about 10 percent to about 20 percent.

82) (ORIGINAL) A process according to claim 79 where the dioxan concentration is from about 15 percent to about 20 percent.

83) (ORIGINAL) A process according to claim 79 where the dioxan concentration is about 20 percent.

Page 10 of 21, 5:29 PM, 10/29/2007, Response to Restriction Requirement. Applicants: **Maharaj Sahib**
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARLE, JENNIFER L.; Art Unit: 1654
Confirmation Number: 2848. Our Reference Number: WH-1

84) (ORIGINAL) A process as in claim 2 comprising, treatment of the expression broth/culture medium containing the expressing cells with urea, at about pH of about 2 to about 5.

85) (ORIGINAL) A process according to claim 84 where the concentration of urea is from about 1M to about 6M.

86) (ORIGINAL) A process according to claim 84 where the urea concentration is from about 3M to about 6M.

87) (ORIGINAL) A process according to claim 84 where the urea concentration is 6M.

88) (ORIGINAL) A process for the enhanced recovery of recombinantly expressed insulin into solution, comprising, treatment of the expression broth/culture medium containing the expressing cells with isopropanol at pH about 2, followed by removal of the supernatant, followed by extraction (s).

89) (ORIGINAL) A process for the enhanced recovery of recombinantly expressed insulin into solution according to claim 88, comprising at least two extraction steps with isopropanol, of the expression broth/culture medium containing the expressing cells, at pH about 2.

90) (ORIGINAL) A process according to claim 89 wherein the concentration of isopropanol used in each step is same or different.

91) (ORIGINAL) A process according to claim 90 wherein the concentration of isopropanol used in each step is different.

92) (ORIGINAL) A process according to claim 90 wherein the concentration of isopropanol used in each step is same.

Page 11 of 21. 5:29 PM, 10/29/2007. Response to Restriction Requirement. Applicants: Maharaj Sahib
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARLE, JENNIFER I.; Art Unit: 1654
Confirmation Number: 2848. Our Reference Number: WH-1

93) (ORIGINAL) A process according to claim 92 wherein the concentration of isopropanol used is, from about 1 percent to about 50 percent.

94) (ORIGINAL) A process according to claim 92 wherein the isopropanol concentration is from about 10 percent to about 50 percent.

95) (ORIGINAL) A process according to claim 92 wherein the isopropanol concentration is from about 30 percent to about 50 percent.

96) (ORIGINAL) A process according to claim 92 wherein the isopropanol concentration is from about 40 percent to about 50 percent.

97) (ORIGINAL) A process according to claim 92 wherein the isopropanol concentration is about 20 percent.

98) (ORIGINAL) A process for the enhanced recovery of recombinantly expressed insulin into solution, comprising of sequential extraction of the expression broth/culture medium containing the expressing cells with at least two of following steps, but not necessarily in the same order: a) citrate buffer at about pH 2 to about pH 5 b) about 0.2 M to about 1.0 M sodium chloride at about pH 2 to about pH 5 c) about 10 percent to about 50 percent isopropanol at about pH 2 to about pH 5 d) about 1M to about 5M urea at about pH 2 e) about 1M to about 5M urea at about pH 4.

99) (ORIGINAL) A process for the isolation and purification of insulin from recombinant sources consisting of subjecting the expression broth/culture medium containing the expressing cells to chromatography in an expanded mode.

100) (ORIGINAL) A process as in claim 99 wherein the chromatography is ion exchange chromatography.

Page 12 of 21. 5:29 PM, 10/29/2007. Response to Restriction Requirement. Applicants: Maharaj Sahib
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARLE, JENNIFER L; Art Unit: 1654
Confirmation Number: 2848. Our Reference Number: WH-1

101) (ORIGINAL) A process according to claim 100 wherein the ion exchange chromatography is cation exchange chromatography.

102) (ORIGINAL) A process according to claim 101 in which the fermentation broth/culture medium containing the expressing cells is diluted with buffer at about pH 3, then fed to column packed with Streamline-SP cation exchange resin, followed by washing with buffer at about pH 4 and then followed by elution with buffer at about pH 7.5.

103) (ORIGINAL) A process according to claim 101, wherein the dilution buffer is citrate buffer, wash buffer is citrate buffer.

104) (ORIGINAL) A process according to claim 101, wherein the elution buffer is Tris HCl buffer

105) (ORIGINAL) A process according to claim 101, wherein the dilution buffer is citrate buffer, wash buffer is citrate buffer and the elution buffer is TrisHCl buffer.

106) (CURRENTLY AMENDED) A process for the isolation and purification of insulin from recombinant sources comprising ~~consisting of~~ treatment of the expression broth/culture medium containing the expressing cells with water miscible organic solvent followed by chromatography in an expanded bed mode.

107) (ORIGINAL) A process as in claim 106 wherein the chromatography is ion exchange chromatography.

108) (ORIGINAL) A process according to claim 107, wherein the ion exchange chromatography is cation exchange chromatography.

Page 13 of 21. 5:29 PM. 10/29/2007. Response to Restriction Requirement. Applicants: Maharaj Sahib
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARLE, JENNIFER I.; Art Unit: 1654
Confirmation Number: 2848. Our Reference Number: WH-1

109) (ORIGINAL) A process according to claims 108 wherein the said water miscible organic solvent is isopropanol.

110) (ORIGINAL) A process according to claim 109 wherein the treatment is carried out with isopropanol at a concentration of about 5 percent to about 90 percent and at a pH of about 1 to about 4.

111) (ORIGINAL) A process according to claim 109 wherein the treatment is carried out with isopropanol at a concentration of about 10 percent to about 50 percent and at a pH of about 3.

112) (ORIGINAL) A process according to claim 109 wherein the treatment is carried out with isopropanol at a concentration of about 20 percent to about 50 percent and at a pH of about 3.

113) (ORIGINAL) A process according to claim 109 wherein the treatment is carried out with isopropanol at a concentration of about 20 percent and at a pH of about 3.

114) (ORIGINAL) A process according to claim 108 wherein the treatment is carried out with isopropanol at a concentration of about 20 percent and pH of about 3.

115) (ORIGINAL) A process according to claims 108 wherein the said water miscible organic solvent is methanol.

116) (ORIGINAL) A process according to claim 115 wherein the treatment is carried out with methanol at a concentration of about 5 percent to about 90 percent and at a pH of about 1 to about 4.

117) (ORIGINAL) A process according to claim 115 wherein the treatment is carried out with methanol at a concentration of about 10 percent to about 50 percent and at a pH of about 3.

Page 14 of 21. 5:29 PM. 10/29/2007. Response to Restriction Requirement. Applicants: Maharaj Sahib
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from
recombinant sources. Examiner: HARLE, JENNIFER I.; Art Unit: 1654
Confirmation Number: 2848. Our Reference Number: W11-1

118) (ORIGINAL) A process according to claim 115 wherein the treatment is carried out with methanol at a concentration of about 20 percent to about 50 percent and at a pH of about 3.

119) (ORIGINAL) A process according to claim 115 wherein the treatment is carried out with methanol at a concentration of about 20 percent and at a pH of about 3.

120) (ORIGINAL) A process according to claim 115 wherein the treatment is carried out with methanol at a concentration of about 20 percent and pH of about 3.

121) (ORIGINAL) A process according to claims 108 wherein the said water miscible organic solvent is dimethylformamide.

122) (ORIGINAL) A process according to claim 121 wherein the treatment is carried out with dimethylformamide at a concentration of about 5 percent to about 70 percent and at a pH of about 1 to about 4.

123) (ORIGINAL) A process according to claim 121 wherein the treatment is carried out with dimethylformamide at a concentration of about 10 percent to about 50 percent and at a pH of about 3.

124) (ORIGINAL) A process according to claim 121 wherein the treatment is carried out with dimethylformamide at a concentration of about 20 percent to about 50 percent and at a pH of about 3.

125) (ORIGINAL) A process according to claim 121 wherein the treatment is carried out with dimethylformamide at a concentration of about 20 percent and at a pH of about 3.

Page 15 of 21, 5:29 PM, 10/29/2007, Response to Restriction Requirement, Applicants: Maharaj Sahib
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARLE, JENNIFER L.; Art Unit: 1654
Confirmation Number: 2848, Our Reference Number: WH-1

126) **(ORIGINAL)** A process according to claim 121 wherein the treatment is carried out with dimethylformamide at a concentration of about 20 percent and pH of about 3.

127) **(PREVIOUSLY AMENDED)** A process according to claim 1 in which the recombinant source expressing the insulin is yeast.

128) **(ORIGINAL)** A process according to claim 127 in which the yeast include genera Hansenula, Saccharomyces, Pichia, Kluyveromyces.

129) **(ORIGINAL)** A process according to claim 127, in which the insulin expressed by a yeast strain is secreted into the extracellular medium.

Page 16 of 21. 5:38 PM. 10/29/2007. Response to Restriction Requirement. Applicants: Maharaj Sahib
Application Serial Number: 10/523,999; Filing Date: 02-09-2005; Title: Process for the extraction and isolation of insulin from recombinant sources. Examiner: HARLE, JENNIFER L.; Art Unit: 1654
Confirmation Number: 2848. Our Reference Number: WH-1